

Stainless Steel Pet Water Fountain

304 Stainless Steel | 3.2L Large
Capacity | Healthy Flowing Water






Multiple
Filtration



Oxygen-rich
Water



304 Stainless
Steel



3.2L Large
Capacity



Small Flower Water
Outlet Design



Quiet Water
Pump

Food Grade 304 Stainless Steel

Food grade stainless steel material
Prevents black chin, stones or
urinary system diseases, etc.



Classic Faucet Design

Cats naturally love flowing water,
and the faucet water outlet method encourages
pets to drink more water



3.2L LARGE CAPACITY

Meets the drinking water needs
of 1-2 cats for 7-15 days



Large Circular Transparent Window

Convenient to observe water volume and add water



Ultra-quiet, low power consumption

Ultra-quiet water pump less than 25dB,
softer than whispering

60dB

Walking

40dB

Whispering

25dB

Ours



Easy to disassemble and assemble

Simple disassembly and assembly, easy to clean and assemble

Faucet water outlet

Filter box

Filter element

Water tray

Water pump bracket

Water pump

304 stainless steel bucket

Transparent window



Multi-stage Purification System

Circulating filtration/softening water quality/oxygen rich active water circulation pipeline design, flushing away hair, ensuring every sip is fresh water.

Non-woven Fabric

Filter hair and large impurities

Maifan Stone


Absorb dirt and deodorize, purify water quality and improve immunity

Activated Carbon

Coconut shell activated carbon, can filter out odors and chlorine

Microporous Cotton

Filter hair and large impurities



Healthy Living Water, Natural Circulation

Circulating filtration,
every drop is fresh water



304 Stainless Steel, Easy to Clean

Stainless steel material is easy to clean, simple to disassemble and assemble without dead ends.



Product Size

PRODUCT SIZE

21.1cm/8.3in

8.0cm/3.1in

12cm/4.7in



PRODUCT INFORMATION

NAME

Stainless Steel Pet Water Fountain

MODEL

TY-10

SIZES

21.1*12*8.0cm

WEIGHT

0.84Kg

MATERIAL

ABS+304Stainless Steel

POWER

5V/1A

CAPACITY


3.2L

NOISE

<25dB



Filter size



Easy to replace and install

Installation completed within 10 seconds

**Reverse
side**

